ELSEVIER

Biochimica et Biophysica Acta 1191 (1994) 400–402

BBA Biochimica et Biophysica Acta

# Author Index

Allan, D., see Kallen, K.-J. (1191) 52
Anner, B.M., see Volet, B. (1191) 1
Anzai, K., see Lee, S. (1191) 181
Aoyagi, H., see Lee, S. (1191) 181
Argibay, J., see Lacampagne, A. (1191) 205
Arnhold, J., Wiegel, D., Hußler, O. and Arnold, K.
Quenching and dequenching of octadecyl Rhodamine B chloride fluorescence in $Ca^{2+}$-induced fusion of phosphatidylserine vesicles: effects of poly(ethylene glycol) (1191) 375
Arnold, K., see Arnhold, J. (1191) 375

Backman, L., see Björk, J. (1191) 141
Bergès, J., see Langlet, J. (1191) 79
Berthiaume, F. and Frangos, J.A.
Fluid flow increases membrane permeability to merocyanine 540 in human endothelial cells (1191) 209
Bharadwaj, A.K., see Tosteson, M.T. (1191) 371
Białkowska, K., Zembroń, A. and Sikorski, A.F.
Ankyrin inhibits binding of erythrocyte spectrin to phospholipid vesicles (1191) 21
Bignami, G.S., see Tosteson, M.T. (1191) 371
Björk, J. and Backman, L.
Sodium selenite as modulator of red cell shape (1191) 141
Blanco, J., see Ciruela, F. (1191) 94

Caillet, J., see Langlet, J. (1191) 79
Campione, A.L., see Van Winkle, L.J. (1191) 244
Canela, E.I., see Ciruela, F. (1191) 94
Carlson, E.C., see Marion, M.S. (1191) 33
Cheeseman, C.I., see Thomson, A.B.R. (1191) 197
Chonn, A., see Devine, D.V. (1191) 43
Ciruela, F., Blanco, J., Canela, E.I., Lluis, C., Franco, R. and Mallol, J.
Solubilization and molecular characterization of the nitrobenzylthioinosine binding sites from pig kidney brush-border membranes (1191) 94
Clandinin, M.T., see Thomson, A.B.R. (1191) 197
Clouser, D., see Spink, C.H. (1191) 164
Crowe, J.H., see Mansure, J.J.C. (1191) 309
Crowe, L.M., see Mansure, J.J.C. (1191) 309
Cullis, P.R., see Devine, D.V. (1191) 43

Dahlqvist, A., see Wieslander, Å. (1191) 331
Dantzig, A.H., Duckworth, D.C. and Tabas, L.B.
Transport mechanisms responsible for the absorption of loracarbef, cefixime, and cefuroxime axetil into human intestinal Caco-2 cells (1191) 7
Davis, C.W., see Holló, Zs. (1191) 384
Demaret, J.-P., see Langlet, J. (1191) 79
Deuticke, B., see Ortwein, R. (1191) 317
Devine, D.V., Wong, K., Serrano, K., Chonn, A. and Cullis, P.R.
Liposome–complement interactions in rat serum: implications for liposome survival studies (1191) 43
Dickinson, H.R., see Van Winkle, L.J. (1191) 244
Doi, K., see Oku, N. (1191) 389
Dousa, T.P., see Yusufi, A.N.K. (1191) 117
Dubowchik, G.M., Padilla, L., Edinger, K. and Firestone, R.A.
Reversal of doxorubicin resistance and catalytic neutralization of lysosomes by a lipophilic imidazole (1191) 103
Duckworth, D.C., see Dantzig, A.H. (1191) 7
Duszyk, M., see Ho, M.W.Y. (1191) 151

Edinger, K., see Dubowchik, G.M. (1191) 103

Fedorak, R., see Thomson, A.B.R. (1191) 197
Firestone, R.A., see Dubowchik, G.M. (1191) 103
Franco, R., see Ciruela, F. (1191) 94
Frangos, J.A., see Berthiaume, F. (1191) 209
French, A.S., see Ho, M.W.Y. (1191) 151
Fromherz, P. and Schenk, O.
Voltage-sensitive fluorescence of amphiphilic hemicyanine dyes in a black lipid membrane of glycerol monooleate (1191) 299
Fukushima, K., Sakamoto, T., Tsuji, J., Kondo, K. and Shimozawa, R.
The transition of $\alpha$-helix to $\beta$-structure of poly(L-lysine) induced by phosphatidic acid vesicles and its kinetics at alkaline pH (1191) 133

Gachot, B., Tauc, M., Wanstok, F., Morat, L. and Poujeol, P.
Zinc transport and metallothionein induction in primary cultures of rabbit kidney proximal cells (1191) 291
Gannier, F., see Lacampagne, A. (1191) 205
Gapstur, S.M., see Yusufi, A.N.K. (1191) 117
Garnier, D., see Lacampagne, A. (1191) 205
Giacomini, K.M., see Wu, X. (1191) 190
Gies, J.-P., see Trifilieff, A. (1191) 109
Giordana, B., see Parenti, P. (1191) 27
Girbig, F., see Kramer, W. (1191) 278
Godeas, C., Sandri, G. and Panfili, E.
Distribution of phospholipid hydroperoxide glutathione peroxidase (PHGPx) in rat testis mitochondria (1191) 147
Guidotti, G., see Rosenthal, E.R. (1191) 256
Gutierrez, M.M., see Wu, X. (1191) 190
Gutjahr, U., see Kramer, W. (1191) 278

Haddad, E.-B., see Trifilieff, A. (1191) 109
Hanozet, G.M., see Parenti, P. (1191) 27
Hartz, D., see Kramer, W. (1191) 278
Hartz, D., see Müller, G. (1191) 267
Hawkins, C., Xu, A. and Narayanan, N.
Comparison of the effects of fluoride on the calcium pumps of cardiac and fast skeletal muscle sarcoplasmic reticulum: evidence for tissue-specific qualitative difference in calcium-induced pump conformation (1191) 231
Hellberg, S., see Wieslander, Å. (1191) 331
Ho, M.W.Y., Duszyk, M. and French, A.S.
Evidence that channels below 1 pS cause the volume-sensitive chloride conductance in T84 cells (1191) 151

Holló, Zs., Homolya, L., Davis, C.W. and Sarkadi, B.
Calcein accumulation as a fluorometric functional assay of the multidrug transporter (1191) 384
Homolya, L., see Holló, Zs. (1191) 384
Hußler, O., see Arnhold, J. (1191) 375

Jones, F.D., see MacDonald, R.C. (1191) 362
Jonsson, J., see Wieslander, Å. (1191) 331

Kallen, K.-J., Allan, D., Whatmore, J. and Quinn, P.
Synthesis of surface sphingomyelin in the plasma membrane recycling pathway of BHK cells (1191) 52
Keelan, M., see Thomson, A.B.R. (1191) 197
Kirino, Y., see Lee, S. (1191) 181
Kondo, K., see Fukushima, K. (1191) 133
Kondo, T., see Mishima, K. (1191) 157
Kowalewski, S., see Kramer, W. (1191) 278
Kramer, W., Müller, G., Girbig, F., Gutjahr, U., Kowalewski, S., Hartz, D. and Summ, H.-D.
Differential interaction of glimepiride and glibenclamide with the $\beta$-cell sulfonylurea receptor. II. Photoaffinity labeling of a 65 kDa protein by [$^3$H]glimepiride (1191) 278
Kramer, W., see Müller, G. (1191) 267

Lacampagne, A., Gannier, F., Argibay, J., Garnier, D. and Le Guennec, J.-Y.
The stretch-activated ion channel blocker gadolinium also blocks L-type calcium channels in isolated ventricular myocytes of the guinea-pig (1191) 205
Lach, E., see Trifilieff, A. (1191) 109
Lacotte, D., see Volet, B. (1191) 1
Landers, D., see Noda, Y. (1191) 324
Landry, Y., see Trifilieff, A. (1191) 109
Langlet, J., Bergès, J., Caillet, J. and Demaret, J.-P.
Theoretical study of the complexation of amphotericin B with sterols (1191) 79
Lee, S., Tanaka, T., Anzai, K., Kirino, Y., Aoyagi, H. and Sugihara, G.
Two mode ion channels induced by interaction of acidic amphipathic $\alpha$-helical peptides with lipid bilayers (1191) 181
Le Guennec, J.-Y., see Lacampagne, A. (1191) 205
Lindblom, G., see Wieslander, Å. (1191) 331
Lipkowitz, M.S., see Medow, M.S. (1191) 219
Liu, J., see Noda, Y. (1191) 324
Lluis, C., see Ciruela, F. (1191) 94

MacDonald, R.C., Jones, F.D. and Qiu, R.
Fragmentation into small vesicles of dioleoylphosphatidylcholine bilayers during freezing and thawing (1191) 362
MacDonald, R.C., see Qiu, R. (1191) 343
Mallol, J., see Ciruela, F. (1191) 94
Mansure, J.J.C., Panek, A.D., Crowe, L.M. and Crowe, J.H.
Trehalose inhibits ethanol effects on intact yeast cells and liposomes (1191) 309
Marion, M.S. and Carlson, E.C.
Immunoelectron microscopic analyses of Maillard reaction products in bovine anterior lens capsule and Descemet's membrane (1191) 33
McNamee, M.G., see Sunshine, C. (1191) 59
Medow, M.S. and Lipkowitz, M.S.
Developmental changes of renal brushborder membrane ionic permeability (1191) 219
Mishima, K., Nakamae, S., Ohshima, H. and Kondo, T.
Frequency dependence of electric-field-induced orientation of myelin tubes (1191) 157
Moosmayer, M., see Volet, B. (1191) 1
Morat, L., see Gachot, B. (1191) 291
Mori, A., see Noda, Y. (1191) 324
Mousli, M., see Trifilieff, A. (1191) 109
Müller, G., Hartz, D., Pünter, J., Ökonomopulos, R. and Kramer, W.
Differential interaction of glimepiride and glibenclamide with the $\beta$-cell sulfonylurea receptor. I. Binding characteristics (1191) 267
Müller, G., see Kramer, W. (1191) 278
Murayama, N., see Yusufi, A.N.K. (1191) 117
Murray, B.A., see Woo, M.K. (1191) 173

Naftalin, R.J. and Rist, R.J.
Re-examination of hexose exchanges using rat erythrocytes: evidence inconsistent with a one-site sequential exchange model, but consistent with a two-site simultaneous exchange model (1191) 65
Nagle, J.F., see Tristram-Nagle, S. (1191) 14
Nakamae, S., see Mishima, K. (1191) 157
Narayanan, N., see Hawkins, C. (1191) 231
Naruse, R., see Oku, N. (1191) 389
Noda, Y., Rodriguez-Sierra, J., Liu, J., Landers, D., Mori, A. and Paul, S.
Partitioning of vasoactive intestinal polypeptide into lipid bilayers (1191) 324

Ohshima, H., see Mishima, K. (1191) 157
Okada, S., see Oku, N. (1191) 389
Ökonomopulos, R., see Müller, G. (1191) 267
Oku, N., Naruse, R., Doi, K. and Okada, S.
Potential usage of thermosensitive liposomes for macromolecule delivery (1191) 389
O'Neil, J., see Spink, C.H. (1191) 164
Ortwein, R., Oslender-Kohnen, A. and Deuticke, B.
Band 3, the anion exchanger of the erythrocyte membrane, is also a flippase (1191) 317
Oslender-Kohnen, A., see Ortwein, R. (1191) 317

Padilla, L., see Dubowchik, G.M. (1191) 103
Panek, A.D., see Mansure, J.J.C. (1191) 309
Panfili, E., see Godeas, C. (1191) 147
Parenti, P., Hanozet, G.M., Villa, M. and Giordana, B.
Effect of arginine modification on $K^+$-dependent leucine uptake in brush-border membrane vesicles from the midgut of *Philosamia cynthia* larvae (1191) 27
Patel, M., see Van Winkle, L.J. (1191) 244
Paul, S., see Noda, Y. (1191) 324
Plaitakis, A., see Shashidharan, P. (1191) 393
Poujeol, P., see Gachot, B. (1191) 291
Pünter, J., see Müller, G. (1191) 267

Qiu, R. and MacDonald, R.C.
A metastable state of high surface activity produced by sonication of phospholipids (1191) 343
Qiu, R., see MacDonald, R.C. (1191) 362
Quinn, P., see Kallen, K.-J. (1191) 52

Rännar, S., see Wieslander, Å. (1191) 331
Rilfors, L., see Wieslander, Å. (1191) 331
Rist, R.J., see Naftalin, R.J. (1191) 65
Roberts, M.F., see Swairjo, M.A. (1191) 354
Rodriguez-Sierra, J., see Noda, Y. (1191) 324
Rosenthal, E.R. and Guidotti, G.
Reconstitution, identification, and purification of the *Torpedo californica* electroplax chloride channel complex (1191) 256

Sakamoto, T., see Fukushima, K. (1191) 133
Sami, M., see Ulrich, A.S. (1191) 225
Sandri, G., see Godeas, C. (1191) 147
Sarkadi, B., see Holló, Zs. (1191) 384
Schenk, O., see Fromherz, P. (1191) 299

Scriven, D.R.L., see Tosteson, M.T. (1191) 371
Seaton, B.A., see Swairjo, M.A. (1191) 354
Serrano, K., see Devine, D.V. (1191) 43
Shashidharan, P., Wittenberg, I. and Plaitakis, A.
Molecular cloning of human brain glutamate/aspartate transporter II (1191) 393
Shimozawa, R., see Fukushima, K. (1191) 133
Sikorski, A.F., see Białkowska, K. (1191) 21
Sjöström, M., see Wieslander, Å. (1191) 331
Spink, C.H., Clouser, D. and O'Neil, J.
Thermodynamics of transfer of indocarbocyanines from gel to fluid phases of phospholipid bilayers (1191) 164
Sugihara, G., see Lee, S. (1191) 181
Summ, H.-D., see Kramer, W. (1191) 278
Sun, W.-J., see Tristram-Nagle, S. (1191) 14
Sunshine, C. and McNamee, M.G.
Lipid modulation of nicotinic acetylcholine receptor function: the role of membrane lipid composition and fluidity (1191) 59
Suter, R.M., see Tristram-Nagle, S. (1191) 14
Swairjo, M.A., Seaton, B.A. and Roberts, M.F.
Effect of vesicle composition and curvature on the dissociation of phosphatidic acid in small unilamellar vesicles – a $^{31}$P-NMR study (1191) 354
Szczepanska-Konkel, M., see Yusufi, A.N.K. (1191) 117

Tabas, L.B., see Dantzig, A.H. (1191) 7
Tanaka, T., see Lee, S. (1191) 181
Tauc, M., see Gachot, B. (1191) 291
Thomson, A.B.R., Cheeseman, C.I., Keelan, M., Fedorak, R. and Clandinin, M.T.
Crypt cell production rate, enterocyte turnover time and appearance of transport along the jejunal villus of the rat (1191) 197
Tosteson, D.C., see Tosteson, M.T. (1191) 371
Tosteson, M.T., Bignami, G.S., Scriven, D.R.L., Bharadwaj, A.K. and Tosteson, D.C.
Inhibition of the actions of palytoxin on the $K^+$ efflux from red cells and on the Na/K-ATPase activity by a monoclonal antibody (1191) 371
Trifilieff, A., Lach, E., Mousli, M., Haddad, E.-B., Landry, Y. and Gies, J.-P.
Co-solubilization of bradykinin $B_2$ receptors and angiotensin-converting enzyme from guinea pig lung membranes (1191) 109
Tristram-Nagle, S., Suter, R.M., Sun, W.-J. and Nagle, J.F.
Kinetics of subgel formation in DPPC: X-ray diffraction proves nucleation-growth hypothesis (1191) 14
Tsuji, J., see Fukushima, K. (1191) 133

Ulrich, A.S., Sami, M. and Watts, A.
Hydration of DOPC bilayers by differential scanning calorimetry (1191) 225

Van Winkle, L.J., Patel, M., Wasserlauf, H.G., Dickinson, H.R. and Campione, A.L.
Osmotic regulation of taurine transport via system $\beta$ and novel processes in mouse preimplantation conceptuses (1191) 244
Villa, M., see Parenti, P. (1191) 27
Volet, B., Lacotte, D., Moosmayer, M. and Anner, B.M.
Na,K-ATPase and carboxyfluorescein distinctly alter vesicle formation in vitro (1191) 1

Wanstok, F., see Gachot, B. (1191) 291
Wasserlauf, H.G., see Van Winkle, L.J. (1191) 244
Watts, A., see Ulrich, A.S. (1191) 225
Whatmore, J., see Kallen, K.-J. (1191) 52
Wiegel, D., see Arnhold, J. (1191) 375
Wieslander, Å., Rilfors, L., Dahlqvist, A., Jonsson, J., Hellberg, S., Rännar, S., Sjöström, M. and Lindblom, G.
Similar regulatory mechanisms despite differences in membrane lipid composition in *Acholeplasma laidlawii* strains A-EF22 and B-PG9. A multivariate data analysis (1191) 331
Wittenberg, I., see Shashidharan, P. (1191) 393
Wong, K., see Devine, D.V. (1191) 43
Woo, M.K. and Murray, B.A.
Solid-phase binding analysis of N-CAM interactions with brain fodrin (1191) 173
Wu, X., Gutierrez, M.M. and Giacomini, K.M.
Further characterization of the sodium-dependent nucleoside transporter (N3) in choroid plexus from rabbit (1191) 190

Xu, A., see Hawkins, C. (1191) 231

Yusufi, A.N.K., Murayama, N., Gapstur, S.M., Szczepanska-Konkel, M. and Dousa, T.P.
Differential properties of brush-border membrane vesicles from early and late proximal tubules of rat kidney (1191) 117

Zembroń, A., see Białkowska, K. (1191) 21